

# Cell Culture Technologies CustomMade



## CustomMade

custom engineered media formulations

Cell Culture Technologies develops and prepares a variety of customised culture media for academic research and industrial R&D groups. At present, we offer 132 customised media preparations (see list). Our custom-made media are available at a minimum purchase volume of 3 litres. The same media can also be obtained as liquid concentrates to be reconstituted in tissue culture water prior to sterile filtration. We deliver custom-made media worldwide and guarantee our technical support to discuss on the most appropriate modifications for particular cell culture applications.

Please feel free to contact us if you need a customised cell culture medium or solution not mentioned in the list below: we will be glad to help you. \_\_\_\_\_

- BGJb medium, Fitton-Jackson modified
- ChoMaster HP-1 without biotin
- ChoMaster HP-1 without glucose, aminoacids, sodium- and potassium chloride
- ChoMaster HP-5 without glucose, aminoacids, sodium- and potassium chloride
- ChoMaster HP-5 without phenol red
- ChoMaster HP-6 without L-tryptophan
- ChoMaster HTS without biotin
- ChoMaster HTS without glucose
- ChoMaster HTS without hypoxanthine and thymidine
- ChoMaster HTS without L-arginine
- ChoMaster HTS without L-tryptophan
- ChoMaster HTS without thiamine
- Dulbecco's MEM (DMEM) high/low glucose with D-valine instead of L-valine
- DMEM without calcium
- DMEM without choline
- DMEM without folic acid
- DMEM without glucose, L-histidine, L-isoleucine, L-leucine, L-phenylalanine, L-tryptophan and L-valine
- DMEM without glucose, calcium and magnesium
- DMEM without glucose and pyruvate
- DMEM without glucose, pyruvate, sodium- and potassium chloride
- DMEM without L-arginine and L-lysine
- DMEM without L-arginine, L-phenylalanine, L-tryptophan and L-tyrosine
- DMEM without L-histidine
- DMEM without L-isoleucine, L-leucine and L-valine
- DMEM without L-leucine
- DMEM without L-phenylalanine
- DMEM without L-phenylalanine, L-tryptophan and L-tyrosine
- DMEM without L-phenylalanine and phenol red
- DMEM without L-tryptophan and phenol red
- DMEM without L-tyrosine
- DMEM without myo-inositol
- DMEM without phosphate
- DMEM without potassium chloride
- DMEM without sodium- and potassium chloride
- DMEM/Ham's F-12 (DMEM/F12) with D-valine instead of L-valine
- DMEM/F12 without calcium and phosphate
- DMEM/F12 without folic acid
- DMEM/F12 without glucose
- DMEM/F12 without glucose, L-glutamine, pyruvate and phenol red
- DMEM/F12 without glycine, hypoxanthine and thymidine
- DMEM/F12 without glycine and L-glutamic acid
- DMEM/F12 without L-glutamine
- DMEM/F12 without L-phenylalanine and L-tryptophan
- DMEM/F12 without L-tryptophan
- DMEM/F12 without phenol red
- DMEM/F12 without sodium- and potassium chloride
- DMEM/F12/RPMI 1640 (1:1:1) without L-glutamine
- Eagle's MEM (EMEM) with D-valine instead of L-valine
- EMEM without L-leucine
- EMEM without L-tryptophan
- EMEM without sodium chloride

- EMEM alpha-modification without folic acid
- EMEM alpha-modification without glucose, calcium and magnesium
- EMEM alpha-modification without pyruvate and selected aminoacids
- FMX-8 for CHO cells (Messi, 1991; Messi, 1993)
- FMX-8 without calcium and phosphate
- FMX-8 without glucose
- FMX-8 without glycine, hypoxanthine and thymidine
- FMX-8 without L-glutamine
- FMX-8 without L-histidine
- FMX-8 without L-tryptophan
- Ham's F-12 without phosphate
- Ham's F-12 without sodium salts
- Hektor G without glucose
- Hektor G without L-arginine
- Hektor G without L-tryptophan
- Hektor G without thiamine
- InVirus without calcium and phosphate
- InVirus without glucose
- InVirus VP-6 without glucose
- InVirus VP-6 without glucose and selected aminoacids
- InVirus VP-6 without glucose, aminoacids, sodium- and potassium chloride
- InVirus VP-6 without L-arginine and L-lysine
- Iscove's modified Dulbecco's medium (IMDM) without calcium and phosphate
- IMDM without folic acid
- IMDM without L-glutamine
- IMDM without phenol red
- Joklik's MEM (JMEM), Claycomb modification, Kurer & Messi modification
- LHC (Lechner & LaVeck, 1985)
- McCoy's 5A without L-leucine
- McCoy's 5A without phenol red
- MCDB 151 without phenol red
- Neurobasal medium without myo-inositol
- RPMI 1640 with D-valine instead of L-valine
- RPMI 1640 with D-valine instead of L-valine, without glucose
- RPMI 1640 without biotin
- RPMI 1640 without biotin, folic acid, vitamin B12 and phenol red
- RPMI 1640 without calcium pantothenate
- RPMI 1640 without folic acid
- RPMI 1640 without folic acid and vitamin B12
- RPMI 1640 without folic acid, vitamin B12 and phenol red
- RPMI 1640 without glucose and phenol red
- RPMI 1640 without glycine
- RPMI 1640 without glycine and L-serine
- RPMI 1640 without L-arginine and L-lysine
- RPMI 1640 without L-glutamine
- RPMI 1640 without L-glutamine and L-isoleucine
- RPMI 1640 without L-glutamine and L-methionine
- RPMI 1640 without L-isoleucine, L-leucine and L-valine
- RPMI 1640 without L-isoleucine, L-leucine, L-lysine and L-methionine
- RPMI 1640 without L-phenylalanine
- RPMI 1640 without L-tryptophan
- RPMI 1640 without niacinamide
- RPMI 1640 without phosphate
- RPMI 1640 without sodium chloride
- TurboDoma without biotin
- TurboDoma without fatty acids
- TurboDoma without glucose
- TurboDoma without glucose, L-glutamine, glycine, L-histidine and L-tryptophan
- TurboDoma without glucose, aminoacids, sodium- and potassium chloride
- TurboDoma without glycine, hypoxanthine and thymidine
- TurboDoma without L-histidine
- TurboDoma without L-tryptophan
- TurboDoma without L-tryptophan, glycine, hypoxanthine and thymidine
- TurboDoma without phenol red
- ZO for Chironomus tentans epithelial cell lines (Wyss, 1982)
- ZO for Chironomus tentans epithelial cell lines (Wyss, 1982), Messi & Wegmann modification

## Products

Cell Culture Technologies provides biopharmaceutical companies and academic institutions with minimal culture media and solutions either produced in our own R&D laboratory (non-GMP), or in collaboration with our industrial pharma partners (GMP).

---

Read more at [cellculture.com](http://cellculture.com)

→ [ChoMaster®Media](#)

→ [ChoMaster®EPO](#)

→ [TurboDoma®](#)

→ [InVirus™ Platform](#)

→ [Hektor™](#)

→ [SpodOmics](#)

→ [StarterKits™](#)

→ [PlantCells](#)

→ Custom-made Products

## Services

Cell Culture Technologies offers its know-how under four technology transfer models.

---

Read more at [cellculture.com](http://cellculture.com)

→ [ChoMaster®System](#)

→ [InVirus™ Platform](#)

→ [Rapid Media Screening](#)

→ [SteMaxOne™ Program](#)

→ Custom-made Formulations

## Contact

### Headquarters

Cell Culture Technologies LLC  
Via al Chioso 12  
6929 Gravesano, Ticino  
Switzerland

phone +41 91 604 53 22

fax+41 91 604 53 26

[info@cellculture.com](mailto:info@cellculture.com)

→ [www.cellculture.com](http://www.cellculture.com)

### Distributor Scandinavia

Contact person: Bent Svanholm

[Svanholm.com](http://Svanholm.com)  
Nordic Pharma and Analyzer Center  
Marienbergvej 132, 1  
DK-4760 Vordingborg  
Denmark

phone +54 7026 5811

fax +45 6980 3133

→ [www.svanholm.com](http://www.svanholm.com)

### Distributor USA

Contact person: Syd Abrahams


Boca Scientific, Inc.  
950 Peninsula Corporate Circle, Suite 1025  
Boca Raton, FL 33487 Boca Raton, FL 3348  
United States

phone +1 561 995 5017

toll free +1 866 227 6335

fax +1 561 995 5018

→ [www.bocascientific.com](http://www.bocascientific.com)



ChoMaster and TurboDoma are registered trademarks of Dr. F. Messi Cell Culture Technologies.

InVirus, Hektor, StarterKits and SteMaxOne are trademarks of Dr. F. Messi Cell Culture Technologies.

© 2017, Cell Culture Technologies LLC